

MOD8-HON211G-Statistics for Midwives

1. The scientific method for statistics uses the null hypothesis to make predictions, not the alternative hypothesis.
 - a. true
 - b. false
2. The scientific method of statistics:
 - a. includes four main steps
 - b. places importance of predictive powers of hypothesis or theories
 - c. places importance on repeatability
 - d. all of the above
3. The four main steps of the scientific method are most accurately described and listed in this order.
 - a. develop null hypothesis, ask a question, test hypothesis, make predicaments
 - b. ask question, formulate hypothesis, make predictions, test hypothesis
 - c. develop active hypothesis, ask question, make predictions, test hypothesis
 - d. generate research questions, make predictions, formulate null hypothesis, test hypothesis
4. Research questions should be----
 - a. in question form
 - b. testable
 - c. able to show that the student understands how to take into account the control and experimental group
 - d. all of the above
5. The two main types of studies in medical research are:
 - a. variable and discreet
 - b. active and passive
 - c. observational and experimental
 - d. hypothetical and experimental
6. Which best defines hypothesis?
 - a. any factor that might change during the course of the study
 - b. an educated guess about the relationship between variables
 - c. a variable that produces a range of values
 - d. a made up statistic

7. Any factor that might change the result of a test or experiment is called a:
- null hypothesis
 - active hypothesis
 - variable
 - fraction
8. A variable, which produces a range of values is called:
- a discrete variable
 - a continuous variable
 - a cyclic variable
 - none of the above
9. With a null hypothesis, the prediction is not based on what you think is going to happen.
- True
 - false
10. Which of these is not an example of a null hypothesis:
- Family history will have no effect on the rate of PIH
 - Race will have no effect on the rate of poverty
 - Religion will have a direct impact on the rate of STDs
 - None of the above
11. Clinical trials are:
- trials of treatments on human subjects
 - experimental tests subjected to extensive review
 - neither a or b
 - both a and b
12. This method of dividing subjects into groups is random, and any difference between the groups is by chance.
- clinical trials
 - random allocation
 - volunteer division
 - longitudinal division
13. To observe and describe an existing condition, and try to understand what is happening, this is often referred to as:
- random studies
 - longitudinal studies
 - observational studies
 - cohort studies

14. The Cohort study:

- a. looks backwards in time so the subjects have already completed what we are studying
- b. involves subjects who presently have a certain condition and receive a particular treatment are followed over time and compared with another group who are not affected by the condition under investigation
- c. is the "Gold Standard" in medical research
- d. causes researchers to need a specific sample size

15. The Placebo effect is the same as a response bias.

- a. true
- b. false

16. With a study where the characteristics of the people who volunteer may be different and could bias the outcome, which theory most accurately defines the situation?

- a. volunteer bias
- b. response bias
- c. placebo effect
- d. a and b only

17. In a _____, everyone is counted, the entire population.

- a. random allocation
- b. sample allocation
- c. census
- d. treatment plan

18. Prevalence is the proportion of people known to have a condition at any given time, often reported as a ratio: # of existing cases/ population at risk.

- a. true
- b. false

19. The number of new cases in populations during a given time period is referred to as:

- a. prevalence
- b. relevance
- c. incidence
- d. sampling

20. The manner in which the examiner asks the questions can directly influence the reply received. This is called:

- a. leading questioning
 - b. quantitative questioning
 - c. questionnaire bias
 - d. study bias
21. This type of data can be more than words or texts. Photos, videos and sound equipment have been collected for this type of data.
- a. Quantitative data
 - b. Qualitative data
 - c. Continuous data
 - d. Statistical data
22. Accurately describe Quantitative Data:
- a. It is not in numerical form
 - b. It can be in a numerical range
 - c. values or measurements that are integers or whole numbers, there are no fractions
 - d. both b and c
23. The number of children a woman has is not quantitative data.
- a. true
 - b. false
24. When we calculate values based on data points, any value calculated from the data is a _____.
- a. statistic
 - b. mode
 - c. means
 - d. medium
25. The _____ of a statistical distribution with a discrete random variable is the mathematical average of all terms.
- a. mode
 - b. mean
 - c. average
 - d. both b and c
26. A single observation far away from the rest of the data is called:
- a. out of range
 - b. zero distribution
 - c. outlier
 - d. zero contribution

27. Name two measurements of central tendency.

- a. distribution, variance
- b. mean and median
- c. deviation and variance
- d. mode and velocity

28. A normal distribution is also called a Gaussian distribution.

- a. true
- b. false

29. Numerically, this measurement equals the highest score minus the lowest score.

- a. mean
- b. median
- c. range
- d. variance

30. The easiest way to get an accurate statistic based on a sample are:

- a. to use a large sample size
- b. to make sure the sample is randomly selected
- c. to use a small sample size
- d. a and b only

31. A small sample size is highly likely to give a statistic that accurately reflects the population.

- a. true
- b. false

32. What does the following p-value indicate about the strength of the evidence?
Between 0.05 and 0.1:

- a. little to no evidence of a difference between groups or a relationship between variables
- b. weak evidence of the above
- c. strong evidence of the above
- d. none of the above